



Texas Commission on Environmental Quality

Exemption §106.351 Checklist (Previously Standard Exemption 65)

Salt Water Disposal Facilities

The following checklist has been developed so you and the Texas Commission on Environmental Quality (TCEQ) staff can confirm that Exemption §106.351, previously standard exemption 65, requirements are met. Please answer all questions. You must meet all the requirements to operate the facility under Exemption §106.351, previously standard exemption 65. **Any "no" answers indicate inability to meet all requirements of Exemption §106.351, previously standard exemption 65.**

If you do not meet all the requirements, you must obtain a construction permit in accordance with Regulation VI, Section 116.110 before you begin construction, or alter the facility design/package in such a way that all the requirements of the exemption are met.

<u>YES</u>	<u>NO</u>	<u>NA</u>	<u>PART</u>	<u>DESCRIPTION</u>
------------	-----------	-----------	-------------	--------------------

- | | | | | |
|---|---|---|----|--|
| — | — | — | | Have you confirmed that you meet the general requirements for the use of exemptions as listed in §106.4 formerly Reg VI, Sec. 116.211 (see checklist)? |
| — | — | — | a) | If the salt water emits a sour gas, is the facility located at least 1/4 mile from any recreational area or residence or other structure not occupied or used solely by the owner or operator of the facility or the owner of the property upon which the facility is located? Attach a map. |
| — | — | — | b) | Are all facilities for the open storage of salt water operated in such a manner as to prevent the occurrence of a nuisance condition off-property? Attach a description of the storage facilities and nuisance control methods to be employed. |
| — | — | — | c) | Are all plant roads and truck loading and unloading areas operated and maintained as necessary to prevent dust emissions from the property which could cause or contribute to a nuisance condition? Attach a detailed description of the dust control measures. |

NAME: _____

COMPANY: _____

TITLE: _____

FACILITY NAME: _____

PHONE #: () _____ FAX PHONE #: () _____